ELSEVIER

Discrete Mathematics 146 (1995) 329–330

DISCRETE MATHEMATICS

Author index to volume 146 (1995)

Akemann, C.A. and J. Anderson, The continuous Beck–Fiala theorem is optimal (1–3) 1– 9
Anderson, J., see C.A. Akemann (1–3) 1– 9
Barraez, D., E. Flandrin, H. Li and O. Ordaz, Dominating cycles in bipartite biclaw-free graphs (1–3) 11– 18
Berman, A., see R. Michel (1–3) 313–320
Boisen, P., Polynomials and packings: a new proof of de Bruijn's theorem (*Note*) (1–3) 285–287
Bondy, J.A., A short proof of the Chen–Manalastas theorem (*Note*) (1–3) 289–292
Brualdi, R.A. and Fonseca, A., On the quasi-transversals of a matroid (*Note*) (1–3) 293–297
Chan, O., C.C. Chen and Q. Yu, On 2-extendable abelian Cayley graphs (1–3) 19– 32
Chan, W., An exchange property of matroid (*Note*) (1–3) 299–302
Chen, C., Binding number and toughness for matching extension (*Note*) (1–3) 303–306
Chen, C.C., see O. Chan (1–3) 19– 32
Fanning, J.D., A family of symmetric designs (*Note*) (1–3) 307–312
Flandrin, E., see D. Barraez (1–3) 11– 18
Fonseca, A., see R.A. Brualdi (1–3) 293–297
Fouquet, J.-L., V. Giakoumakis, F. Maire and H. Thuillier, On graphs without P^5 and $\bar{P}^5$ (1–3) 33– 44
Giakoumakis, V., see J.-L. Fouquet (1–3) 33– 44
Haddad, L. and H. Zhou, Star chromatic numbers of hypergraphs and partial Steiner triple systems (1–3) 45– 58
Hamada, N. and T. Helleseth, A characterization of some $\{3v_{\mu+1}, 3v_\mu; k-1, q\}$-minihypers and some $[n, k, q^{k-1} - 3q^\mu; q]$-codes $(k+3, q+5, 1 \leqslant \mu < k-1)$ meeting the Griesmer bound (1–3) 59– 67
Heden, O., On Bruen chains (1–3) 69– 96
Helleseth, T., see N. Hamada (1–3) 59– 67
Hobart, S., see D.G. Hoffman (1–3) 97–108
Hoffman, D.G., S. Hobart and R.C. Mullin, Near subgroups of groups (1–3) 97–108
Horňák, M., R. Lauff and R. Soták, On existence of hypergraphs with prescribed edge degree profile (1–3) 109–121
Huang, R., Muir's identity — A supersymmetric approach (1–3) 123–131
Lai, H.-J., Supereulerian graphs and excluded induced minors (1–3) 133–143
Lauff, R., see M. Horňák (1–3) 109–121
Li, H., Circumferences in 1-tough graphs (1–3) 145–151
Li, H., see D. Barraez (1–3) 11– 18
Lisoněk, P., Local and global majorities revisited (1–3) 153–158
Maire, F., see J.-L. Fouquet (1–3) 33– 44
Michel, R., G. Taubenfeld and A. Berman, A connection between random variables and latin k-cubes (*Note*) (1–3) 313–320
Mohanty, S.P., see B.S. Panda (1–3) 179–209
Mullin, R.C., see D.G. Hoffman (1–3) 97–108
Nundelman, S.P., The modular n-queens problem in higher dimensions (1–3) 159–167
Odlyzko, A.M. and W.D. Smith, Nonabelian sets with distinct k-sums (1–3) 169–177
Ordaz, O., see D. Barraez (1–3) 11– 18
Oxley, J. and H. Wu, On matroid connectivity (*Note*) (1–3) 321–324
Panda, B.S. and S.P. Mohanty, Intersection graphs of vertex disjoint paths in a tree (1–3) 179–209

Préa, P., Distance sequences in infinite regular tessellations	(1–3)	211–233
Serfati, M., Boolean differential equations	(1–3)	235–246
Smith, W.D., see A.M. Odlyzko	(1–3)	169–177
Soták, R., see M. Horňák	(1–3)	109–121
Taubenfeld, G., see R. Michel	(1–3)	313–320
Thuillier, H., see J.-L. Fouquet	(1–3)	33– 44
Voigt, M., A not 3-choosable planar graph without 3-cycles (*Note*)	(1–3)	325–328
West, J., Generating trees and the Catalan and Schröder numbers	(1–3)	247–262
Wetzel, J.E., Regular dissections of an infinite strip	(1–3)	263–269
Wu, H., see J. Oxley	(1–3)	321–324
Yang, K.-W., Matrix q-hypergeometric series	(1–3)	271–284
Yu, Q., see O. Chan	(1–3)	19– 32
Zhou, H., see L. Haddad	(1–3)	45– 58